



SYSTEMIC FUNGICIDE

Date: January 18, 2019

Product: Propizol® EPA Reg. No. 74578-8

Use: Additional Pests for Control in Deciduous, Coniferous, and Palm Trees

State/District: TX

APPLICATION IN TREES

It is a violation of Federal law to use this product in a manner inconsistent with itslabeling.

The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in its possession at the time of use.

This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

DIRECTIONS FOR INJECTION USE

For fungi infecting vascular tree tissues such as:

Laurel wilt (Raffaelea spp.)

Thousand Canker Disease (Geosmithia morbida)

For leaf, bud and stem fungi such as:

Phomopsis canker and indirect needle cast of spruce (Phomopsis occulta)

Diplodia tip blight of Austrian pines (Diplodia pinea, syn. Sphaeropsis sapinea)

Oak Anthracnose (Apiognomonia spp.)

Bur oak blight (Tubakia iowensis)

Horsechestnut leaf blight (Guignardia aesculi)

For true vascular fungi such as:

Fusarium Dieback (Fusarium euwallaceae)

Blue Stain Disease (Grosmannia clavigera, Leptographium longiclavatum)

Fusarium wilt of Canary Date Palms (Fusarium oxysporum f. sp. canariensis)

Use 6-10 ml of this product in up to 1 liter of water per inch DBH. For very high disease pressure, use 20 ml of this product per inch DBH. Make applications when the trees are in full leaf and actively growing for control of the next season's disease development.

Propizol® is a trademark of Arborjet, Inc. © 2019 Arborjet

2(ee) Registrant: Arborjet, Inc. 99 Blueberry Hill Rd. Woburn, MA 01801

Expiration Date: Label Code: