NAME OF PRODUCT: TurfPlex TM 20-0-3

FILE NO.: BPTTP2003-2017Q1

Preparation Date: 12/13/2016

Revision: 02/15/2017

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT CODES: BPT-TP2003
PRODUCT NAME: TurfPlex 20-0-3

SYNONYMS: plant nutrient blend (20-0-3), high nitrogen fertilizer blend

MANUFACTURER: BioPro Technologies, LLC **ADDRESS:** 4060 SE 45th Court, Ocala, FL 34480

EMERGENCY PHONE: (888) 545-6307

CHEMTREC PHONE:

OTHER CALLS: (352) 620-2020 **FAX PHONE:** (352) 620-0312

PRODUCT USE: Turf management PREPARED BY: E.F. Wilson III

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

| Health: | Environmental: | Physical: |
|---|---------------------------------|-----------------------------|
| Eye Effects: Category 2(b) Respiratory Irritation: Category 3 Skin Irritation: Category 3 | Acute Aquatic Toxicity: Unknown | No Physical Hazards Present |

GHS Pictogram:



ANSI/Old Pictogram:



Signal Word: Warning

Hazard Statements:

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary Statements:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children P103: Read label before use

P261: Avoid breathing dust/fume/gas/mist/vapors/spray

P262: Do not get in eyes, on skin, or on clothing P271: Use only outdoors or in a well ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection

P281: Use personal protective equipment as required

P353: Rinse skin with water/shower

If swallowed: Call a poison center and/or doctor if you feel unwell.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and able to do so. Continue rinsing eyes. Seek medical attention if eye irritation persists.

NAME OF PRODUCT: TurfPlex TM 20-0-3

FILE NO.: BPTTP2003-2017Q1

Preparation Date: 12/13/2016

Revision: 02/15/2017

SECTION 2 NOTES:

Physical Description (also see Section 9): Dark brown liquid; sweet odor

Medical Conditions Aggravated by Long-Term Exposure:Persons with existing skin lesions should exercise caution when using or handling this product. These individuals should also avoid all contact with possible spray mist.

Chronic Effects: Prolonged or repeated skin contact may cause dermatitis. Ingestion may irritate gastrointestinal tract.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:

Potassium Hydroxide - CAS# 1310-58-3 Urea Ammonium Nitrate - CAS# 15978-77-5

-Seaweed Extract (ASCOPHYLLUM NODOSUM) - 2-3%* BY WEIGHT - CAS REG. NUMBER: 84775-78-0

Contains less than 1% of the following:

Iron Sulfate - CAS# 7782-63-0 Manganese Sulfate - CAS# 7785-87-7 Zinc Sulfate - CAS# 7446-19-7

*Contains organic acid chelating agents

*AS PER 29 CFR §1910.1200, THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

IF INHALED: Remove victim from contaminated atmosphere. If breathing is labored, administer oxygen. If breathing has ceased, clear airway and start CPR. Obtain medical attention.

IF ON SKIN (OR HAIR): Immediately flush with large quantities of water. Remove contaminated clothing under a safety shower. Continue rinsing. Obtain medical attention if irritation occurs.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Remove contact lenses, if present and easy to do. If eye irritation persists: Get medical advice/attention

IF SWALLOWED: Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. If victim is conscious, give two to four glasses of water and induce vomting by touching finger to back of throat. Obtain medical attention.

SECTION 4 NOTES: Provide general supportive measures and treat symptomatically. Keep victim warm. In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). No specific antidote; treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES: NON-FLAMMABLE

FLASH POINT: SAMPLE BEGINS TO BOIL BUT NO FLASH IS OBSERVED

AUTOIGNITION TEMPERATURE: NOT APPLICABLE, MIXTURE WILL NOT AUTOIGNITE

NFPA HAZARD CLASSIFICATION

NAME OF PRODUCT: TurfPlex TM 20-0-3

Preparation Date: 12/13/2016

FILE NO.: BPTTP2003-2017Q1

Revision: 02/15/2017

HEALTH: 1 **FLAMMABILITY:** 0 **REACTIVITY:** 0

OTHER: 0

EXTINGUISHING MEDIA: Water spray, dry chemical, carbon dioxide, or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Prevent runoff from entering water systems. Keep non-essential personnel out of fire area. THERE ARE NO SPECIAL FIREFIGHTING PROCEDURES. COOL SEALED CONTAINERS TO REDUCE RISK OF RUPTURE DUE TO EXCESSIVE HEAT.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS: SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING MUST BE WORN IN CASE OF FIRE. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO SO WITHOUT RISK. KEEP CONTAINERS/STORAGE VESSELS IN FIRE AREA COOLED WITH WATER SPRAY. MOVE CONTAINER FROM FIRE AREA IF POSSIBLE WITHOUT RISK.

UNUSUAL FIRE AND EXPLOSION HAZARDS: During fire, gases hazardous to health may be formed. Heating (flames) of closed or sealed containers may cause violent rupture of container due to thermal expansion of compressed gases. Vapors are irritating to eyes, skin and respiratory tract.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of nitrogen, sulfur, hydrogen sulfide

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Keep people away from any upwind of spill/leak. Keep out of low areas. Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

ENVIRONMENTAL PRECAUTIONS: Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

CONTAINMENT METHODS AND CLEANUP: Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite. Small Spills: Wear protective equipment. Prevent spill from entering water systems. Absorb spill on inert material such as clay, vermiculite or kitty litter. Place absorbed material into labeled container for proper disposal. Dispose of in accordance with local, State, and Federal laws and regulations; see Section 13.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with skin and eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Store in a cool, dry, locked area out of reach of children and animals.

OTHER PRECAUTIONS: THIS PRODUCT IS FOR AGRICULTURAL AND HORTICULTURAL USE ONLY AND IS NOT INTENDED FOR OTHER APPLICATIONS. USE NORMAL SAFE HANDLING PROCEDURES AS WITH ALL CHEMICALS. SEE LABEL FOR APPLICATION INSTRUCTIONS AND DIRECTIONS FOR USE.

SECTION 7 NOTES: Store locked up. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in open, outdoor areas only.

VENTILATION: NOT NORMALLY NEEDED

RESPIRATORY PROTECTION: In confined areas, NIOSH/MSMA approved respirator.

EYE PROTECTION: SPLASH PROOF GOOGLES ARE RECOMMENDED WHILE POURING AND HANDLING TO PREVENT EYE

CONTACT FROM SPLASH.

SKIN PROTECTION: RUBBER GLOVES ARE RECOMMENDED FOR NORMAL CLEANLINESS.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Wear suitable protective clothing. Wash contaminated clothing prior to reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

NAME OF PRODUCT: TurfPlex TM 20-0-3

FILE NO.: BPTTP2003-2017Q1

Preparation Date: 12/13/2016

Revision: 02/15/2017

WORK HYGIENIC PRACTICES: When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

EXPOSURE GUIDELINES:

{*Numbers represent mg/M3 unless otherwise indicated*}.

| | OSHA PEL | | ACGIH TL | ACGIH TLV | | NIOSH REL | | | |
|--|----------|-----------|-----------|-----------|-----|-----------|------|--|--|
| Ingredient | TWA | STEL | TWA | STEL | TWA | STEL | IDLH | | |
| | | | | | | | | | |
| Potassium Hydroxide | NA | NA | Ceiling=2 | | 2 | NA | NA | | |
| Elemental iron | NA | NA | 1 | NA | 1 | NA | NA | | |
| Elemental manganese | | Ceiling=5 | 0.2 | NA | 1 | NA | 500 | | |
| Ammonium Nitrate | 5* | NA | NA | NA | NA | NA | NA | | |
| *as respirable dust, if generated; also CA OSHA limit. | | | | | | | | | |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Dark amber

ODOR: Slight odor

PHYSICAL STATE: Liquid

pH AS SUPPLIED: 7.4 @ 21.2C

WEIGHT: 10.54 lbs. per gal. (1.26 kg/L)

BOILING POINT:

F: 212 **C:** 100

MELTING POINT/FREEZING POINT:

F: 32 **C**: 0

VAPOR PRESSURE (mmHg): Unknown

VAPOR DENSITY (AIR = 1): Unknown

DENSITY (g/cm3): 1.2

SPECIFIC GRAVITY (H2O = 1): 1.260

EVAPORATION RATE: Not determined.

BASIS (=1):

SOLUBILITY IN WATER: Soluble

PERCENT VOLATILE: NO VOLATILITY PRESENT

VOLATILE ORGANIC COMPOUNDS (VOC): NONE

MOLECULAR WEIGHT: NO DATA PRESENT

VISCOSITY:

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID (STABILITY): Avoid extreme heat. Do not freeze.

NAME OF PRODUCT: TurfPlex TM 20-0-3

FILE NO.: BPTTP2003-2017Q1

Preparation Date: 12/13/2016

Revision: 02/15/2017

INCOMPATIBILITY (MATERIAL TO AVOID): None known.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Oxides of nitrogen, phosphorus, and sulfur; hydrogen sulfide.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Temperatures above 120°F (49°C) and below 32°F (0°C).

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not determined; no data available.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Accidental spills of undiluted product may cause vegetation kills. Keep out of any body of water; may harm aquatic life.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARDOUS WASTE CODE: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

RCRA HAZARD CLASS: NOT APPLICABLE

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION
PROPER SHIPPING NAME: TurfPlex 20-0-3
HAZARD CLASS: Not regulated

OCEAN/WATER TRANSPORTATION

PROPER SHIPPING NAME: TurfPlex 20-0-3

AIR TRANSPORTATION

PROPER SHIPPING NAME: TurfPlex 20-0-3

OTHER AGENCIES:

SECTION 14 NOTES:

NAME OF PRODUCT: TurfPlex TM 20-0-3

FILE NO.: BPTTP2003-2017Q1

Preparation Date: 12/13/2016

Revision: 02/15/2017

SECTION 15: REGULATORY INFORMATION

EPA Regulations: Not regulated by EPA under FIFRA or FQPA.

OSHA Regulations: Refer to Sections 2 & 8.

State Regulations: The following appear on state RTK Chemical Lists: Potassium hydroxide and elemental manganese: CA, FL, NJ & MN; elemental zinc: CA, FL & NJ; elemental iron & urea: CA & MN; ammonium nitrate: FL & NJ; ammonium sulfate: NJ. Check with specific state authorities since regulations vary within states.

Other Regulations: Section 304 chemicals: potassium hydroxide (CERCLA RQ=1,000 lbs.)

SARA Title III; Sections 311/312: Sudden Release of Pressure (N), Reactivity (N), Fire (N), Immediate (Acute) Health (Y), Delayed (Chronic) Health (N).

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESS OR IMPLIED. THIS INFORMATION IS FURNISHED AS THAT OF BEING TO THE BEST KNOWLEDGE OF BIOPRO TECHNOLOGIES, LLC AND/OR ECOLOGEL SOLUTIONS, LLC. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIALS DESIGNATED HEREIN. ECOLOGEL SOLUTIONS, LLC ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OR RELIANCE UPON THIS DATA.